August 17, 2016

Date:

| Time: | 1:00 PM CDT |
|--|---|
| Location: | Department of Health Licensure and Regulation TN Department of Health Metro Center Complex, Iris Room, Ground Floor 665 Mainstream Drive, Nashville, TN 37243 |
| Members Present: | Kathleen Kenwright, Medical Technologist Educator, Chairperson Cheryl Arnott, S.A. Cytotechnologist Tereyo M. Cox, Medical Technologist General Michael Johnson, Medical Technologist Stephanie Dolsen, Lab Supervisor |
| Members Absent: | Royce Joyner, MD, Pathologist Educator Patti J. Walton, Hospital/Lab Manager/Adm. Director Mark Calarco, DO, Independent Laboratory Mgmt./Adm. |
| Staff Present: | Lynda S. England, Medical Technologist Consultant, Director Nina V. Smith, Medical Technologist Consultant Kyonzte Hughes-Toombs, Deputy General Counsel, Office of General Counsel |
| Staff Absent: | |
| Presiding Officer: | The meeting was conducted by Kathleen Kenwright, Chairperson |
| Call to Order: | The meeting was called to order at 1:05 PM CST |
| Introductions: | The Board and staff made their introductions to the public in attendance. |
| Proceedings and Actions Taken: | |
| Review Correspondence: Personnel Issues: | |

Review Initial Applications and/or interview applicants to determine eligibility or remediation:

Carmen Guerrero
Jamestown, TN
38556

Application: Medical Laboratory Technologist

<u>Degree:</u> BS, Metropolitan University-Barranquilla, Columbia, South America 1982

<u>Training Program:</u> Metropolitan University-Barranquilla, Columbia, South America 1982

Equivalence: Bachelor of Science/ Medical Technology (5 year program)

<u>Certification:</u> AMT, Medical Laboratory Technologist (Exp. September 1, 2016)

Board Review: Trained outside of United States

File Status: All other qualifying documents are present in the file

Motion to approve license: Ms. Arnott

<u>Second</u>: Mr. Johnson <u>License Approved.</u>

Justin Simpson
2. Clarksville, TN
37074

Application: Medical Laboratory Technologist

<u>Degree:</u> Bachelor of Science: Austin Peay University, 2008, Clarksville, TN

Training Program: Austin Peay Medical Technology Program Clarksville, TN May 2009

<u>Certification:</u> ASCP, Medical Laboratory Technologist (exp. 10/31/2016)

Appearance: Mr. Simpson was asked to appear before the P&E Committee of the Tennessee Medical Laboratory Board due to certain disclosures in the application process.

<u>File Status:</u> All qualifying documents are present in the file

Motion to approve license: Ms. Arnott

<u>Second</u>: Ms. Dolsen <u>License Approved</u>.

Alla Raskin
3. Franklin, TN
37069

<u>Application:</u> Medical Laboratory Technologist (currently licensed as a MLT in TN)

Degree: A.A.S. -Laboratory Technology, Omsk Medical College, Omsk, Russia, 1994 B.S.-Life Sciences, Bar-Ilan University, Ramat Gan, Israel, 2004 A.A.S. - Medical Laboratory Technology, Fortis Institute, Nashville, TN, 2015

<u>Training Program:</u> A.A.S.-Laboratory Technology, Omsk Medical College, Omsk, Russia, 1994

A.A.S. - Medical Laboratory Technology, Fortis Institute, Nashville, TN, 2015

Equivalence: Bachelor of Science plus a three year MLT program and a one year MLT program

<u>Certification:</u> AMT, Medical Laboratory Technologist (Exp. September 1, 2016)

Board Review: Trained outside of United States for 3 years in a MLT program, graduating with an Associate's degree. Obtained additional AAS degree for one year training in a MLT program in TN. Requesting upgrade to MT, bypassing the three years of MLT work experience rule: 1200-06-01.-22 (1) (a) and 2(ii)

<u>File Status:</u> All other qualifying documents are present in the file

Motion to deny license: Ms. Dolsen

Second: Ms. Cox License denied

Applicant must work as a Medical Laboratory Technician for three years in a CLIA approved laboratory, before she can be upgraded to Medical Technologist. Rule: 1200-06-01.-22 (1) (a) and 2(ii)

Mark Cody
4. Robbinsville, NC
28771

Application: Medical Laboratory Technologist

<u>Degree:</u> Bachelor of Science: Western Carolina University, 1996, Cullowhee, NC

<u>Training Program:</u> Western Carolina University Medical Technology Program Cullowhee, NC, 1996

<u>Certification:</u> ASCP, Medical Laboratory Technologist (no expiration)

Appearance: Mr. Cody was asked to appear before the P&E Committee of the Tennessee Medical Laboratory Board due to certain disclosures in the application process.

<u>File Status:</u> All qualifying documents are present in the file

Motion to approve license: Ms. Arnott Second: Ms. Dolsen License Approved.

Reinstatement Applications:

Nothing to present

Reactivate Retired Applications:

Nothing to present

Review Consultant Approval and Ratification of Personnel Applications:*

New Licenses and Temporary Licenses (Attachments 1 & 2)

The Committee reviewed the Consultant approved list of initial and temporary licenses from April 01, 2016 through July 31, 2016.

Reinstatements (Attachment 3)

The Committee reviewed the Consultant approved Page 4 of $7\,$

list of reinstated licenses from April 01, 2016 through July 31, 2016.

Closed Files (Attachment 4)

The Committee reviewed the Consultant approved list of closed files from April 01, 2016 through July 31, 2016.

Retired Files (Attachment 5)

The Committee reviewed the Consultant approved list of retired licenses from April 01, 2016 through July 31, 2016.

Training Permits (Attachment 6)

The Committee reviewed the Consultant approved list of training permits from April 01, 2016 through July 31, 2016.

*All licenses ratified with one motion.

Motion to ratify consultant approved new, temporary, reinstated, closed, retired licenses and training permits:

Ms. Arnott

Second: Mr. Johnson

Ratified: Initial Actions of Consultant

Review Correspondence: Personnel and Educational Issues:

Request for
1. addition of
Clinical Rotation
Site

Dr. Pamala Fair, program director of the Fortis Institute Medical Laboratory Technician program in Nashville requested the addition of TriStar Summit Medical Center located in Hermitage, TN as a clinical rotation site for the program.

Motion to add TriStar Summit Medical Center as a clinical rotation site for Fortis Institute, Nashville: Mr. Johnson Second: Ms. Arnott

Motion approved

Dr. Kim-Sue Tudor, program director of the Volunteer State

2. Request for addition of Clinical Rotation Site

Community College Medical Laboratory Technician program in Gallatin, requested the addition of Pathgroup in Nashville, TN as a clinical rotation site for the program.

Motion to add Pathgroup as a clinical rotation site for Volunteer State Community College: Ms. Dolsen

Second: Mr. Johnson

Motion approved

3. Request for change of Program Director

Southwest TN Community College

P.O. Box 780

Memphis, TN 37243

Ms. Michelle M. Hill

Ms. Michelle M. Hill, MSCLS, MT(ASCP) appeared before the Personnel and Education Committee for approval to become the new Program Director of the Southwest TN Community College, Medical Laboratory Technician Training Program in Memphis, TN. Ms. Hill replaced the retired Program Director, Ms. Amy Cox.

The Committee interviewed Ms. Hill and reviewed her qualifications in relationship with the Rules. Upon having a thorough review, the following motion was offered:

Motion to approve Ms. Hill as the Program Director of the Medical Laboratory Technician Training Program,
Southwest TN Community College, Memphis, TN, pending her acceptance by NAACLS as the Program Director and that acceptance letter is presented to the central office:

Ms. Arnott

Second: Mr. Johnson

Motion Approved

Administrative Revocation of License:

Nothing

Presented

Rulemaking Up-Date:

Nothing

Presented

OTHER BUSINESS:

Nothing Presented

Statement of Next Meeting:

The next Personnel and Education Committee Meeting will be October 19, 2016 and will begin at 1 PM CDT in the Iris Room, Ground Floor, Metro Center Complex, 665 Mainstream Drive, Nashville, TN 37243

Record of Adjournment:

With no other business before the Personnel and Education Committee to discuss, the meeting adjourned at 2:00 pm CDT.

Motion: Ms. Arnott Second: Ms. Dolsen Meeting Adjourned.

Page **7** of 7